

INSECTICIDE

COMMANDO**35 SC™****BROAD-SPECTRUM INSECTICIDE FOR LONG-
LASTING CONTROL**

Commando 35% SC™ systemic insecticide provides long-lasting control on a broad spectrum of insect pests in variety of vegetable crops, ornamentals, fruit, citrus, and roots & tuber, greenhouse crops etc. With both curative and preventive action, it provides quick knockdown and superior control of pests such as aphids, white flies, leaf miners, plant hoppers mealybugs, and more.

PRODUCT FEATURES

- Proven performance – long-lasting insecticide.
- Broad-spectrum systemic action.
- Curative and preventive properties.
- Compatible with most pesticides except alkaline compounds.

LABELED USES

- Cucurbits- Cucumber, Squash, Pumpkins, Watermelon, Cantaloupe
- Brassicas- Cabbage, Cauliflowers, Broccoli, Kale
- Solanaceous- Pepper, Eggplant, Sweet potato
- Legumes- String beans, Bodi, Saime
- Cereal- Corn, Rice
- Ornamentals
- Turf and Landscape
- Banana, Plantain
- Roots & Tubers

ALWAYS FOLLOW THE LABEL FOR COMPLETE APPLICATION GUIDELINES AND RESTRICTIONS.

ACTIVE INGREDIENT

35 % imidacloprid

IRAC GROUP

4

FORMULATION

Suspension concentrates

CHEMICAL FAMILY

Neonicotinoid

CLASS II

MODE OF ACTION

Binds to nicotinic acetylcholine receptors causing over stimulation and disruption of nerve transmissions.

RESTRICTED USE

No

SIGNAL WORD

Moderately Hazardous "Harmful"

PACKAGING

1L, 500 ml, 250 ml, 100 ml

REG NUMBER

TTPR 0833



COMMANDO 35% SC™

BROAD-SPECTRUM INSECTICIDE FOR LONG-LASTING CONTROL.

APPLICATION INFORMATION

Crop	Target Pest	Rate of use
Cabbage, Cauliflower, Broccoli Kale	Aphids, Leaf hoppers. Thrips, White flies, Leaf miner,	25ml-50 ml / 20 Liter 250 ml-500ml/ 200 Liter
Citrus, Fruit Trees, Coconuts	Aphids, Leaf hoppers. Thrips, Leaf miner, mealybugs	25ml-50 ml / 20 Liter 250 ml-500ml/ 200 Liter
Tomato, Potato, pepper	Aphids, Leaf hoppers. Thrips, White flies, Leaf miner.	25ml-50 ml / 20 Liter 250 ml-500ml/ 200 Liter
Corn, Legumes	Thrips, Aphids, White flies	25ml-50 ml / 20 Liter 250 ml-500ml/ 200 Liter
Cucurbit	Aphid, Thrips, White flies and leaf miners	25ml-50 ml / 20 Liter 250 ml-500ml/ 200 Liter

Timing:

- **Pre-Planting:**

The initial application is done before planting, ensuring the soil is thoroughly treated.

- **Post-Seeding:**

A second application is recommended over planting lines after seeds are sown.

- **Early Morning or Evening:**

For foliar applications, early morning or evening are recommended to avoid midday heat and potential damage to plants.

- **Weather Conditions:**

Avoid spraying during windy conditions or rain to prevent drift and runoff.

- **Re-entry Period:** 48 hours after application.

- **Pre-harvest interval:** 7 days

- **Applied with KOMPAT:** an adjuvant, penetrant, and compatibilizer for high performance.

Controls

Aphids



Leafhoppers



Thrips



Whiteflies

